

Shanghai King Chemical Co.,Ltd

Tel: +86-21-67817854 Fax: +86-21-67817855

Address: ROOM CDEF, 9th Floor, Building D, Weijing Center Tower NO.2337 GuDai Road, Minhang District, Shanghai, China

Section 1 Product and Company Identification

Product Identifier

Product Name Epoxy Resin KC -0164

Synonyms -

CAS No. 1675-54-3 EC No. 216-823-5 Molecular Formula C₂₁H₂₄O₄

> Relevant Identified Uses of the Substance or Mixture and Uses AdvisedAgainst

Relevant Identified

Uses Advised Against Please consult manufacturer.

Please consult manufacturer.

> Details of the Supplier of the Safety Data Sheet

Applicant Name Shanghai King Chemical Co,.Ltd

Application Address ROOM CDEF, 9th Floor, Building D, Weijing Center Tower, NO.2337 GuDai

Road, Minhang District, Shanghai, China 201199

Applicant Post Code 201199

Applicant Telephone 86-21-67817854

Applicant E-mail mike@shkingchem.com

> Emergency Phone Number

Emergency Phone Number 86-21-67817854

Section 2 Hazards Identification

Hazard class and label elements of the product according to GHS (the eighth revised edition):

> GHS Hazard Class

Skin

Corrosion/Irritation Category 2

Sensitization – Skin **Eye Damage/Irritation Hazardous To The**

Category 1 Category 2A

Aquatic Environment Long-Term (Chronic) Hazard

Category 2

> GHS Label Elements

Pictogram



Signal Word Varnino

> Hazard Statements

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H411 Toxic to aquatic life with long lasting effects

> Precautionary Statements

Prevention

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash contact area thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P280

Response

P321 Specific treatment (see measures on this label).

P391 Collect spillage.

P302+P352 IF ON SKIN: Wash with plenty of water. P332+P317 If skin irritation occurs; Get medical help.

P333+P317 If skin irritation or rash occurs:Get medical help.

P362+P364 Take off contaminated clothing and wash it before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

P305+P351+P338 lenses, if present and easy to do. Continue rinsing.

Storage

Not applicable

Disposal

Dispose of contents/container in accordance with local/regional/national/ P501 international regulations.

Section 3 Composition/Information onIngredients

Concentration (weight CAS No. EC No. Component percent, %) **Epoxy Resin YN-1828** 100 216-823-5 1675-54-3

First Aid Measures Section 4

> Description of First Aid Measures

Immediate medical attention is required. Show this safety data sheet (SDS) to **General Advice**

the doctor in attendance.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a **Eye Contact**

physician if feel uncomfortable.

Skin Contact

Take off contaminated clothing and shoes immediately. Wash off with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.

Ingestion

Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physicianimmediately. Ensure that medical personnel are aware of the substance involved. Take **Protecting of** precautions to protect themselves and prevent spread of contamination. First-aiders

> Most Important Symptoms and Effects, both Acute and Delayed

Substance accumulation, in the human body, may occur and may cause some concern following

repeated or long-term occupational exposure.

> Indication of Any Immediate Medical Attention and Special TreatmentNeeded

Treat symptomatically.

Inhalation

2 Symptoms may be delayed.

Section 5 Fire Fighting Measures

> Extinguishing Media Suitable Extinguishing

Media

Unsuitable **Extinguishing Media**

Dry chemical, carbon dioxide or alcohol-resistant foam.

Do not use a solid water stream as it may scatter or spread fire.

> Specific Hazards Arising from the Substance or Mixture

- 1 Containers may explode when heated.
- 2 Fire exposed containers may vent contents through pressure relief valves.
- 3 May expansion or decompose explosively when heated or involved in fire.

> Advice for Firefighters

As in any fire, wear self-contained breathingapparatus (MSHA/NIOSH approved or equivalent) and

- full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground watersystem.

Accidental Release Measure Section 6

> Personal Precautions, Protective Equipment and Emergency Procedures

- Ensure adequate ventilation. Remove all sources of ignition.
- Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. 2
- Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

> Environmental Precautions

Prevent further leakage or spillage if safe to do so.

Discharge into the environment must be avoided.

> Methods and Materials for Containment and Cleaning Up

Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.

Adhered or collected material should be promptly disposed of, in accordance with appropriate laws

2 and regulations.

3 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Section 7 Handling and Storage

> Precautions for Handling

- Handling is performed in a well ventilated place.
- Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- Keep away from heat/sparks/open flames/ hot surfaces.
- Take precautionary measures against static discharges.

> Precautions for Storage

- 1 Keep containers tightly closed.
- Keep containers in a dry, cool and well-ventilated place.
- Keep away from heat/sparks/open flames/ hot surfaces.
- Store away from incompatible materials and foodstuff containers.

Section 8 Exposure Controls/Personal Protection

> Control Parameters

Occupational Exposure Limit Values

No information available

Biological Limit Values

No information available

Monitoring Methods

- EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. GBZ/T 160 Determination of toxic substances in workplace air(Series effective standard)and GBZ/T 300
- Determination of toxic substances in workplace air(Series standard).

> Engineering Controls

- Ensure adequate ventilation, especially in confined areas.
- Ensure that eyewash stations and safety showers are close to the workstation location.
- Use explosion-proof electrical/ventilating/lighting/equipment.
- **4** Set up emergency exit and necessary risk-elimination area.

> Personal Protection Equipment

Eye Protection Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).

Wear protective gloves (such as butyl rubber), passing the tests according to EN 374(EU), US F739 or AS/NZS 2161.1 standard. If exposure limits are exceeded or if irritation or other symptoms are experienced, use a full-face respirator with multi-purpose combination (US) or

Hand Protection

Respiratory protection

type AXBEK (EN 14387) respirator cartridges.

Skin and **Protection**

Body

Wear fire/flame resistant/retardant clothing and antistatic boots.

Physical and Chemical Properties Section 9

Appearance: Colorless to pale yellow transparent

viscous liquid

Odor Threshold: No information available

Melting Point/Freezing Point (°C): 180

Flash Point (°C)(Closed Cup): 250

Flammability: Not applicable

Vapor Pressure (KPa): 0.004 (25°C)

Relative Density(Water=1): 1.16 (25 °C)

n-Octanol/Water Partition Coefficient: No

information available

available

Particle characteristics: Not applicable

Odor: No information available

pH: No information available

Initial Boiling Point and Boiling Range (℃): No

information available

Evaporation Rate: No information available

Upper/lower explosive limits[%(v/v)]: Upper limit: No information available; Lower limit: No information

available

Relative Vapour Density(Air = 1): > 1

Solubility: 0.7 mg/l (25°C)

Auto-Ignition Temperature(°C): No information

available

Decomposition Temperature (°C): No information Kinematic Viscosity (mm²/s): No information

available

Stability and Reactivity Section 10

Stable under proper operation and storage conditions.

Reactivity Contact with incompatible substances can cause decomposition or other

chemical reactions.

Chemical Stability

Possibility of

Hazardous Reactions

Conditions to Avoid

Incompatible Materials

Hazardous

Decomposition products

Incompatible materials, heat, flame and spark.

No information available

No information available

Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

Section 11 **Toxicological Information**

> Acute Toxicity

Component	CAS No.	LD ₅₀ (Oral)	LD ₅₀ (Dermal)	LC ₅₀ (Inhalation, 4h)		
Epoxy Resin YN-1828	1675-54-3	13100mg/kg(Rat)	20000mg/kg(Rabbit)	No information available		

> Skin Corrosion/Irritation

Causes skin irritation(Category 2)(Epoxy Resin YN-1828)

> Serious Eye Damage/Irritation

Causes serious eye irritation(Category 2A)(Epoxy Resin YN-1828)

> Skin Sensitization

May cause an allergic skin reaction(Category 1)(Epoxy Resin YN-1828)

> Respiratory Sensitization

No information available

> Germ Cell Mutagenicity

No information available

> Carcinogenicity

ID	CAS No.	Component	IARC	NTP		
1	1675-54-3	Epoxy Resin YN- 1828	Category 3	Not Listed		

> Reproductive Toxicity

No information available

> Reproductive Toxicity (Additional)

No information available

> STOT-Single Exposure

No information available

> STOT-Repeated Exposure

No information available

> Aspiration Hazard

No information available

Section 12 Ecological Information

> Acute Aquatic Toxicity

No information available

> Chronic Aquatic Toxicity

No information available

> Others

Persistence and No information available Degradability Bioaccumulative No information available **Potential Mobility in Soil** No information available

Results of PBT and Epoxy Resin YN-1828 does not meet the criteria for PBT and vPvB according to vPvB Assessment Regulation (EC) No 1907/2006, annex XIII.

Section 13 Disposal Considerations

Waste Chemicals Before disposal should refer to the relevant national and local laws and

regulation. Recommend the use of incineration disposal.

Contaminated Packaging Disposal Recommendations Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.

Refer to section 13.1 and 13.2.

Section 14 Transport Information

Transporting Label



Marine pollutant

3082 **UN Number**

UN Proper Shipping

Name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport Hazard Class

Transport Subsidiary

Hazard Class

NONE

9

Packing Group \blacksquare

(Description: The graphic "fish and tree" is transport marking.)

Section 15 Regulatory Information

> International Chemical Inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS
Epoxy Resin YN-1828	√	√	√	√	√	√	√	√	√

[EINECS] European Inventory of Existing Commercial Chemical Substances.

[TSCA] United States Toxic Substances Control Act Inventory.

[DSL] Canadian Domestic Substances List.

[IECSC] China Inventory of Existing Chemical Substances.

[NZIoC] New Zealand Inventory of Chemicals.

[PICCS] Philippines Inventory of Chemicals and Chemical Substances.

Existing and Evaluated Chemical Substances. [KECI]

Australia Inventory of Chemical Substances. [AICS]

[ENCS] Existing And New Chemical Substances.

Note

" \checkmark " Indicates that the substance included in the regulations " \times " That no data or included in the regulations

Additional Information Section 16

 Creation Date
 2020/10/28

 Revision Date
 2020/10/28

Reason for Revision -

> Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 8th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.