

Shanghai King Chemical Co.,Ltd

Tel: +86-21-67817854 Fax: +86-21-67817855 Address: ROOM CDEF , 9th Floor, Building D, Weijing Center Tower NO.2337 GuDal Road, Minhang District, Shanghal, China

Section 1 Product and Company Identification

Product Identifier

Product Name	Epoxy Resin	
Synonyms	-	
CAS No.	1675-54-3	
EC No.	216-823-5	
Molecular Formula	$C_{21}H_{24}O_4$	

> Relevant Identified Uses of the Substance or Mixture and Uses AdvisedAgainst

Relevant Identified Uses	Please consult manufacturer.	
Uses Advised Against	Please consult manufacturer.	

> Details of the Supplier of the Safety Data Sheet

Applicant Name	Shanghai King Chemical Co,.Ltd		
Application Address	ROOM CDEF , 9th Floor, Building D, Weijing Center Tower, NO.2337 GuDai		
Road , Minhang District, Shanghai, China 201199			

Applicant Post Code	201199
Applicant Telephone	86-21-67817854
Applicant E-mail	mike@shkingchem.com

> Emergency Phone Number

Emergency Phone Number 86-21-67817854

Section 2 Hazards Identification

Hazard class and label elements of the product according to GHS (the eighth revised edition):

> GHS Hazard Class Skin Corrosion/Irritation
Cate

Category 2

Sensitization - SkinCEye Damage/IrritationCHazardous To TheCAquatic EnvironmentC- Long-TermC(Chronic) Hazard

Category 1 Category 2A

Category 2

> GHS Label Elements

Pictogram

Signal Word



> Hazard Statements

H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H411	Toxic to aquatic life with long lasting effects

> Precautionary Statements

Prevention	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash contact area thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
Response	
P321	Specific treatment (see measures on this label).
P391	Collect spillage.
P302+P352	IF ON SKIN: Wash with plenty of water.
P332+P317	If skin irritation occurs; Get medical help.
P333+P317	If skin irritation or rash occurs:Get medical help.
P362+P364	Take off contaminated clothing and wash it before reuse.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Storage	Not applicable
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.
	Section 3 Composition/Information onIngredients

Component Epoxy Resin YN-1828	Concentration (weight percent, %) 100	CAS No. 1675-54-3	EC No. 216-823-5
Epoxy Resilt HN-1828	Section 4 First Aid		210-023-5

> Description of First Aid Measures

General Advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Skin Contact	Take off contaminated clothing and shoes immediately. Wash off with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Ingestion	Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately. Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not
Inhalation	mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physicianimmediately.
Protecting of First-aiders	breathing, give artificial respiration and consult a physicianimmediately. Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

> Most Important Symptoms and Effects, both Acute and Delayed

Substance accumulation, in the human body, may occur and may cause some concern following

¹ repeated or long-term occupational exposure.

> Indication of Any Immediate Medical Attention and Special TreatmentNeeded

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.

Section 5 Fire Fighting Measures

> Extinguishing Media

Suitable Extinguishing
MediaDry chemical, carbon dioxide or alcohol-resistant foam.Unsuitable
Extinguishing MediaDo not use a solid water stream as it may scatter or spread fire.

> Specific Hazards Arising from the Substance or Mixture

- 1 Containers may explode when heated.
- 2 Fire exposed containers may vent contents through pressure relief valves.
- 3 May expansion or decompose explosively when heated or involved in fire.

> Advice for Firefighters

- As in any fire, wear self-contained breathingapparatus (MSHA/NIOSH approved or equivalent) and
- 1 full protective gear.
- ² Fight fire from a safe distance, with adequate cover.
- ³ Prevent fire extinguishing water from contaminating surface water or the ground watersystem.

Section 6 Accidental Release Measure

> Personal Precautions, Protective Equipment and Emergency Procedures

- 1 Ensure adequate ventilation. Remove all sources of ignition.
- 2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- **3** Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

> Environmental Precautions

1 Prevent further leakage or spillage if safe to do so.

2 Discharge into the environment must be avoided.

> Methods and Materials for Containment and Cleaning Up

- Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- Adhered or collected material should be promptly disposed of, in accordance with appropriate laws
- ² and regulations.
- ³ Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Section 7 Handling and Storage

> Precautions for Handling

- 1 Handling is performed in a well ventilated place.
- 2 Wear suitable protective equipment.
- **3** Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.
- 5 Take precautionary measures against static discharges.

> Precautions for Storage

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/ hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

Section 8 Exposure Controls/Personal Protection

> Control Parameters

Occupational Exposure Limit Values No information available

Biological Limit Values No information available

Monitoring Methods

- EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment
 of exposure to chemical and biological agents.
 GBZ/T 160 Determination of toxic substances in workplace air(Series effective standard)and GBZ/T 300
- ² Determination of toxic substances in workplace air(Series standard).

> Engineering Controls

- 1 Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- **3** Use explosion-proof electrical/ventilating/lighting/equipment.
- 4 Set up emergency exit and necessary risk-elimination area.

> Personal Protection Equipment

Eye Protection	Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).			
Hand Protection	Wear protective gloves (such as butyl rubber), passing the tests according to EN 374(EU),US F739 or AS/NZS 2161.1 standard.			
Respiratory protection	If exposure limits are exceeded or if irritation or other symptoms are experienced, use a full-face respirator with multi-purpose combination (US) or			

type AXBEK (EN 14387) respirator cartridges.

Wear fire/flame resistant/retardant clothing and antistatic boots.

Section 9 Physical	and Chemical Properties	
Appearance: Colorless to pale yellow transparent viscous liquid	Odor: No information available	
Odor Threshold: No information available Melting Point/Freezing Point (°C): 180	pH: No information available Initial Boiling Point and Boiling Range (°C): No	
Flash Point (°C)(Closed Cup): 250 Flammability: Not applicable	information available Evaporation Rate: No information available Upper/lower explosive limits[%(v/v)]: Upper limit: No information available; Lower limit: Noinformation available	
Vapor Pressure (KPa): 0.004 (25°C)	Relative Vapour Density(Air = 1): > 1	
Relative Density(Water=1): 1.16 (25 °C) n-Octanol/Water Partition Coefficient: No information available	Solubility: 0.7 mg/l (25°C) Auto-Ignition Temperature(°C): No information available	
Decomposition Temperature (°C): No informatio	n Kinematic Viscosity (mm ² /s): No information	
available	available	
Particle characteristics: Not applicable		

	Section 10 Stability and Reactivity
Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical Stability Possibility of Hazardous Reactions	Stable under proper operation and storage conditions. No information available
Conditions to Avoid Incompatible Materials Hazardous Decomposition products	Incompatible materials, heat, flame and spark. No information available Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11 Toxicological Information

> Acute Toxicity

Component	CAS No.	LD ₅₀ (Oral)	LD ₅₀ (Dermal)	LC ₅₀ (Inhalation, 4h)
Epoxy Resin YN-1828	1675-54-3	13100mg/kg(Rat)	20000mg/kg(Rabbit)	No information available

> Skin Corrosion/Irritation

Causes skin irritation(Category 2)(Epoxy Resin YN-1828)

> Serious Eye Damage/Irritation

Causes serious eye irritation(Category 2A)(Epoxy Resin YN-1828)

> Skin Sensitization

May cause an allergic skin reaction(Category 1)(Epoxy Resin YN-1828)

> Respiratory Sensitization

No information available

> Germ Cell Mutagenicity

No information available

> Carcinogenicity

ID	CAS No.	Component	IARC	NTP
1	1675-54-3	Epoxy Resin YN- 1828	Category 3	Not Listed

> Reproductive Toxicity

No information available

> Reproductive Toxicity (Additional)

No information available

> STOT-Single Exposure

No information available

> STOT-Repeated Exposure

No information available

> Aspiration Hazard

No information available

Section 12 Ecological Information

> Acute Aquatic Toxicity

No information available

> Chronic Aquatic Toxicity

No information available

> Others

Persistence and Degradability	No information available
Bioaccumulative Potential	No information available
Mobility in Soil	No information available
Results of PBT and vPvB Assessment	Epoxy Resin YN-1828 does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

Section 13 Disposal Considerations

Waste Chemicals

Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal. Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible. Refer to section 13.1and 13.2.

Contaminated Packaging Disposal Recommendations

Section 14 Transport Information

Transpo	rting	Label
---------	-------	-------



Marine pollutant

UN Number UN Proper Shipping Name Transport Hazard Class Transport Subsidiary Hazard Class	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. 9 NONE				
Packing Group					
(Description: The graphic "fish and tree" is transport marking)					

(Description: The graphic "fish and tree" is transport marking.)

Section 15 Regulatory Information

> International Chemical Inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS
Epoxy Resin YN-1828	√	√	V	√	√	√	√	√	√
[EINECS] European Inventory of Existing Commercial Chemical Substances.[TSCA] United States Toxic Substances Control Act Inventory.									

[DSL] Canadian Domestic Substances List.

[IECSC] China Inventory of Existing Chemical Substances.

[NZIOC] New Zealand Inventory of Chemicals.

[PICCS] Philippines Inventory of Chemicals and Chemical Substances.

[KECI] Existing and Evaluated Chemical Substances.

[AICS] Australia Inventory of Chemical Substances.

[ENCS] Existing And New Chemical Substances.

Note

" \checkmark " Indicates that the substance included in the regulations " \times " That no data or included in the regulations

Section 16 Additional Information

Creation Date	2020/10/28
Revision Date	2020/10/28
Reason for Revision	-

> Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 8th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.